

# OVERVIEW

# HUMBAUR

# HORSE TRAILERS

EN – AS AT 02/2023 | 1



MODEL NAME	SINGLE ALU 1600
Weight in kg	690
Load capacity in kg	910
Permissible gross weight in kg	1600
Overall dimension in mm (LxWxH)	4557 x 1825 x 2886
Internal dimension in mm (LxWxH)	3222 x 1302 x 2310
Load height in mm	430
Tyres in inches	13
Braked	✓
Number of transportable animals	●
Towing vehicle	
Driving licence	<b>B96</b> <b>BE</b>
EquiDrive® chassis	●
EquiDrive® Plus chassis	–
EquiDrive® Plus S with coil spring suspension	–
EquiSpace® concept	–
EquiGuard® Panic Release	–
Adjustable box rods (height and length)	●
AluBiComp floor	●
EquiLock® partition	–
Saddle compartment (standard)	○
Saddle compartment w. extendible saddle holder	–
Side kick plate	●
Side padding	○
Sliding windows	–
Panoramic window	–
Front exit	–
Colour selection from the colour card	○
GRP mudguard with LED lighting	–

**INFORMATION:**  
[humbaur.com/en/horse-trailer-features](http://humbaur.com/en/horse-trailer-features)

The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.



Small car



Large car

● Standard equipment



Medium car



Pick-up/transporter

○ Available as an option



**B96**



















**BE**













→ Minimum required driving licence

– Not available

**SERIES 7000 – HORSE TRAILERS**








				
<b>MODEL NAME</b>	<b>EQUITOS PLYWOOD 2000</b>	<b>EQUITOS ALU 2000</b>	<b>EQUITOS PLYWOOD PLUS 2000</b>	<b>EQUITOS ALU PLUS 2000</b>
Weight in kg	808	773	858	863
Load capacity in kg	1192	1227	1142	1137
Permissible gross weight in kg	2000	2000	2000	2000
Overall dimension in mm (LxWxH)	4604 x 2175 x 2780	4604 x 2175 x 2780	4604 x 2175 x 2780	4604 x 2175 x 2780
Internal dimension in mm (LxWxH)	3157 x 1654 x 2300	3157 x 1654 x 2300	3157 x 1654 x 2300	3157 x 1654 x 2300
Load height in mm	415	415	415	415
Tyres in inches	13	13	13	13
Braked	✓	✓	✓	✓
Number of transportable animals				
Towing vehicle				
Driving licence				
EquiDrive® chassis	●	●	●	●
EquiDrive® Plus chassis	–	–	–	–
EquiDrive® Plus S with coil spring suspension	–	–	–	–
EquiSpace® concept	●	●	●	●
EquiGuard® Panic Release	–	–	–	–
Adjustable box rods (height and length)	○	○	●	●
AluBiComp floor	●	●	●	●
EquiLock® partition	○	○	●	●
Saddle compartment (standard)	○	○	●	●
Saddle compartment w. extendible saddle holder	–	–	–	–
Side kick plate	○	○	○	●
Side padding	○	○	○	○
Sliding windows	–	–	–	–
Panoramic window	–	–	–	–
Front exit	–	–	–	–
Colour selection from the colour card	–	–	–	–
GRP mudguard with LED lighting	–	–	–	–

**INFORMATION:**  
humbaur.com/en/horse-trailer-features

			
<b>MODEL NAME</b>	<b>XANTHOS 2400</b>	<b>XANTHOS 2700</b>	<b>XANTHOS 2700 S</b>
Weight in kg	830	834	884
Load capacity in kg	1570	1866	1816
Permissible gross weight in kg	2400	2700	2700
Overall dimension in mm (LxWxH)	4592 x 2235 x 2875	4592 x 2235 x 2855	4592 x 2235 x 2855
Internal dimension in mm (LxWxH)	3157 x 1714 x 2364	3157 x 1714 x 2364	3157 x 1714 x 2364
Load height in mm	445	445	445
Tyres in inches	15	15	15
Braked	✓	✓	✓
Number of transportable animals			
Towing vehicle			
Driving licence			
EquiDrive® chassis	●	–	–
EquiDrive® Plus chassis	–	●	–
EquiDrive® Plus S with coil spring suspension	–	–	●
EquiSpace® concept	●	●	●
EquiGuard® Panic Release	●	●	●
Adjustable box rods (height and length)	●	●	●
AluBiComp floor	●	●	●
EquiLock® partition	●	●	●
Saddle compartment (standard)	○	○	○
Saddle compartment w. extendible saddle holder	○	○	○
Side kick plate	●	●	●
Side padding	○	○	○
Sliding windows	–	–	–
Panoramic window	–	–	–
Front exit	–	–	–
Colour selection from the colour card	○	○	○
GRP mudguard with LED lighting	–	–	–

**INFORMATION:**  
humbaur.com/en/horse-trailer-features

The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.

 Small car     
  Large car     
 ● Standard equipment  
 Medium car     
  Pick-up/transporter     
 ○ Available as an option  
   → Minimum required driving licence     
 – Not available

**SERIES 7000 – HORSE TRAILERS**

MODEL NAME	<b>XANTHOS AERO</b> 2400	<b>XANTHOS AERO</b> 2700	<b>XANTHOS AERO</b> 2700 S
Weight in kg	855	859	909
Load capacity in kg	1545	1841	1791
Permissible gross weight in kg	2400	2700	2700
Overall dimension in mm (LxWxH)	4592 x 2235 x 2875	4592 x 2235 x 2855	4592 x 2235 x 2855
Internal dimension in mm (LxWxH)	3447 x 1714 x 2364	3447 x 1714 x 2364	3447 x 1714 x 2364
Load height in mm	445	445	445
Tyres in inches	15	15	15
Braked	✓	✓	✓
Number of transportable animals			
Towing vehicle			
Driving licence			
EquiDrive® chassis	●	–	–
EquiDrive® Plus chassis	–	●	–
EquiDrive® Plus S with coil spring suspension	–	–	●
EquiSpace® concept	●	●	●
EquiGuard® Panic Release	●	●	●
Adjustable box rods (height and length)	●	●	●
AluBiComp floor	●	●	●
EquiLock® partition	●	●	●
Saddle compartment (standard)	●	●	●
Saddle compartment w. extendible saddle holder	○	○	○
Side kick plate	●	●	●
Side padding	○	○	○
Sliding windows	–	–	–
Panoramic window	–	–	–
Front exit	–	–	–
Colour selection from the colour card	○	○	○
GRP mudguard with LED lighting	–	–	–

**INFORMATION:**  
humbaur.com/en/horse-trailer-features

MODEL NAME	<b>NOTOS ALU SPIRIT</b> 2400	<b>NOTOS ALU</b> 2400	<b>NOTOS ALU</b> 2700	<b>NOTOS ALU</b> 2700 S
Weight in kg	900	900	932	1065
Load capacity in kg	1500	1500	1768	1635
Permissible gross weight in kg	2400	2400	2700	2700
Overall dimension in mm (LxWxH)	4738 x 2230 x 2770	4738 x 2230 x 2770	4738 x 2230 x 2790	4765 x 2230 x 2790
Internal dimension in mm (LxWxH)	3418 x 1713 x 2298	3418 x 1713 x 2298	3418 x 1713 x 2298	3418 x 1713 x 2298
Load height in mm	435	435	455	450
Tyres in inches	14	14	15	15
Braked	✓	✓	✓	✓
Number of transportable animals				
Towing vehicle				
Driving licence				
EquiDrive® chassis	●	●	–	–
EquiDrive® Plus chassis	–	–	●	–
EquiDrive® Plus S with coil spring suspension	–	–	–	●
EquiSpace® concept	●	●	●	●
EquiGuard® Panic Release	–	●	●	●
Adjustable box rods (height and length)	●	●	●	●
AluBiComp floor	●	●	●	●
EquiLock® partition	●	●	●	●
Saddle compartment (standard)	○	○	○	○
Saddle compartment w. extendible saddle holder	○	○	○	○
Side kick plate	○	●	●	●
Side padding	○	○	○	○
Sliding windows	–	–	○	○
Panoramic window	–	–	–	–
Front exit	○	○	○	○
Colour selection from the colour card	○	○	○	○
GRP mudguard with LED lighting	–	–	–	–

**INFORMATION:**  
humbaur.com/en/horse-trailer-features

The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.

Small car	Large car	Standard equipment
Medium car	Pick-up/transporter	Available as an option
<b>B</b> <b>B96</b> <b>BE</b>	Minimum required driving licence	Not available

**SERIES 7000 – HORSE TRAILERS**


MODEL NAME	NOTOS PLUS 3000	NOTOS PLUS 3500
Weight in kg	1380	1405
Load capacity in kg	1620	2095
Permissible gross weight in kg	3000	3500
Overall dimension in mm (LxWxH)	5666 x 2355 x 2894	5692 x 2355 x 2894
Internal dimension in mm (LxWxH)	4220 x 1860 x 2353	4220 x 1860 x 2353
Load height in mm	440	440
Tyres in inches	14	14
Braked	✓	✓
Number of transportable animals		
Towing vehicle		
Driving licence		
EquiDrive® chassis	–	–
EquiDrive® Plus chassis	–	–
EquiDrive® Plus S with coil spring suspension	●	●
EquiSpace® concept	●	●
EquiGuard® Panic Release	●	●
Adjustable box rods (height and length)	●	●
AluBiComp floor	●	●
EquiLock® partition	●	●
Saddle compartment (standard)	●	●
Saddle compartment w. extendible saddle holder	–	–
Side kick plate	●	●
Side padding	○	○
Sliding windows	●	●
Panoramic window	–	–
Front exit	–	–
Colour selection from the colour card	○	○
GRP mudguard with LED lighting	–	–

**INFORMATION:**  
[humbaur.com/en/horse-trailer-features](http://humbaur.com/en/horse-trailer-features)



MODEL NAME	NOTOS XTRA UP 2700	NOTOS XTRA PRO 2700
Weight in kg	1234	1231
Load capacity in kg	1466	1469
Permissible gross weight in kg	2700	2700
Overall dimension in mm (LxWxH)	5460 x 2240 x 2890	5460 x 2240 x 2890
Internal dimension in mm (LxWxH)	4132 x 1714 x 2400	4132 x 1714 x 2400
Load height in mm	430	430
Tyres in inches	15	15
Braked	✓	✓
Number of transportable animals		
Towing vehicle		
Driving licence		
EquiDrive® chassis	–	–
EquiDrive® Plus chassis	–	–
EquiDrive® Plus S with coil spring suspension	●	●
EquiSpace® concept	●	●
EquiGuard® Panic Release	●	●
Adjustable box rods (height and length)	●	●
AluBiComp floor	●	●
EquiLock® partition	●	●
Saddle compartment (standard)	–	–
Saddle compartment w. extendible saddle holder	●	●
Side kick plate	●	●
Side padding	○	○
Sliding windows	●	●
Panoramic window	–	–
Front exit	–	○
Colour selection from the colour card	●	●
GRP mudguard with LED lighting	–	–

**INFORMATION:**  
[humbaur.com/en/horse-trailer-features](http://humbaur.com/en/horse-trailer-features)

The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.



Small car



Large car



Medium car



Pick-up/transporter

● Standard equipment

○ Available as an option
















– Not available


**B**
**B96**
















**BE**


Minimum required driving licence

## SERIES 7000 – HORSE TRAILERS

			
MODEL NAME	<b>PEGASUS 2400</b>	<b>PEGASUS 2700</b>	<b>PEGASUS 2700 S</b>
Weight in kg	910	930	940
Load capacity in kg	1490	1770	1760
Permissible gross weight in kg	2400	2700	2700
Overall dimension in mm (LxWxH)	4592 x 2235 x 2960	4592 x 2235 x 2960	4592 x 2235 x 2960
Internal dimension in mm (LxWxH)	3460 x 1710 x 2370	3460 x 1710 x 2370	3460 x 1710 x 2370
Load height in mm	460	460	460
Tyres in inches	15	15	15
Braked	✓	✓	✓
Number of transportable animals			
Towing vehicle	 	 	 
Driving licence			
EquiDrive® chassis	●	–	–
EquiDrive® Plus chassis	–	●	–
EquiDrive® Plus S with coil spring suspension	–	–	●
EquiSpace® concept	●	●	●
EquiGuard® Panic Release	●	●	●
Adjustable box rods (height and length)	●	●	●
AluBiComp floor	●	●	●
EquiLock® partition	●	●	●
Saddle compartment (standard)	–	–	–
Saddle compartment w. extendible saddle holder	●	●	●
Side kick plate	●	●	●
Side padding	○	○	○
Sliding windows	–	–	–
Panoramic window	○	○	○
Front exit	–	–	–
Colour selection from the colour card	●	●	●
GRP mudguard with LED lighting	–	–	–

**INFORMATION:**  
humbaur.com/en/horse-trailer-features

			
MODEL NAME	<b>PEGASUS STYLE 2400</b>	<b>PEGASUS STYLE 2700</b>	<b>PEGASUS STYLE 2700 S</b>
Weight in kg	925	945	955
Load capacity in kg	1475	1755	1745
Permissible gross weight in kg	2400	2700	2700
Overall dimension in mm (LxWxH)	4592 x 2235 x 2960	4592 x 2235 x 2960	4592 x 2235 x 2960
Internal dimension in mm (LxWxH)	3460 x 1710 x 2370	3460 x 1710 x 2370	3460 x 1710 x 2370
Load height in mm	460	460	460
Tyres in inches	15	15	15
Braked	✓	✓	✓
Number of transportable animals			
Towing vehicle	 	 	 
Driving licence			
EquiDrive® chassis	●	–	–
EquiDrive® Plus chassis	–	●	–
EquiDrive® Plus S with coil spring suspension	–	–	●
EquiSpace® concept	●	●	●
EquiGuard® Panic Release	●	●	●
Adjustable box rods (height and length)	●	●	●
AluBiComp floor	●	●	●
EquiLock® partition	●	●	●
Saddle compartment (standard)	–	–	–
Saddle compartment w. extendible saddle holder	●	●	●
Side kick plate	●	●	●
Side padding	○	○	○
Sliding windows	–	–	–
Panoramic window	○	○	○
Front exit	–	–	–
Colour selection from the colour card	●	●	●
GRP mudguard with LED lighting	–	–	–

**INFORMATION:**  
humbaur.com/en/horse-trailer-features

The information provided about towing vehicles and driving licences is for guidance only. Check the information on your registration papers before you buy. The illustrations in this brochure may also include special equipment that is not included in the standard scope of delivery. The special equipment shown comes at an additional cost. Contents correct at the time of printing. All information is provided without guarantee. We reserve the right to make changes to design and features.



Small car



Large car



Medium car



Pick-up/transporter

● Standard equipment

○ Available as an option

– Not available



B

B96



BE



BE



BE



BE



BE



BE



BE



BE

Minimum required driving licence

**SERIES 7000 – HORSE TRAILERS**

MODEL NAME	MAXIMUS 2700	MAXIMUS 2700 S	MAXIMUS DELUXE 2700 S
Weight in kg	1040	1050	1115
Load capacity in kg	1660	1650	1585
Permissible gross weight in kg	2700	2700	2700
Overall dimension in mm (LxWxH)	4880 x 2300 x 2930	4880 x 2360 x 2930	4880 x 2360 x 2930
Internal dimension in mm (LxWxH)	3560 x 1800 x 2350	3560 x 1800 x 2350	3560 x 1800 x 2350
Load height in mm	470	460	460
Tyres in inches	15	15	15
Braked	✓	✓	✓
Number of transportable animals			
Towing vehicle			
Driving licence			
EquiDrive® chassis	–	–	–
EquiDrive® Plus chassis	●	–	–
EquiDrive® Plus S with coil spring suspension	○	–	–
EquiSpace® concept	●	●	●
EquiGuard® Panic Release	●	●	●
Adjustable box rods (height and length)	●	●	●
AluBiComp floor	●	●	●
EquiLock® partition	●	●	●
Saddle compartment (standard)	–	–	–
Saddle compartment w. extendible saddle holder	●	●	●
Side kick plate	●	●	●
Side padding	●	●	●
Sliding windows	–	–	–
Panoramic window	○	○	●
Front exit	–	–	–
Colour selection from the colour card	●	●	●
GRP mudguard with LED lighting	○	○	●



Space for your horses

**MAXIMUM SPACE FOR YOUR HORSES**

A **roof that is pulled far forward** offers your horse **generous headroom** even at ear level.

The AERO models have approximately 20% more space for your valuable saddles and other personal accessories in the standard saddle compartments.



EquiSpace® concept

**SAFETY AND COMFORT**

The sophisticated **EquiSpace® interior concept** ensures **maximum space** in the trailer for your horses during transport and is integrated **as standard** in many models.

The adjustable breast and breeching bars ensure that both small and large horses can travel **safely**. Of course, a **panic release feature** is also included.



Extra-large saddle compartment

**PLENTY OF SPACE FOR SADDLES & ACCESSORIES**

Spacious saddle compartments that are ideal **for all types of saddle**.

Includes **extensive equipment**: mirror, net, interior lighting, shovel and broom\*



### EquiDrive® chassis

## STABLE HANDLING

The Humbauro EquiDrive® frame, with its hot-dip galvanised longitudinal beam chassis, offers high stability and thus the best possible safety.

With its significantly lower centre of gravity, it ensures **gentle road handling** for both driver and horse – even on difficult terrain.



### EquiDrive® PLUS chassis

## FOR EVEN MORE DRIVING COMFORT

**Even more safety** for your horses during transport in the trailer.

- Automatic brake adjustment ensures consistently optimal braking behaviour
- Largely maintenance-free braking system
- Already meets future legal requirements



### EquiDrive® PLUS S coil spring chassis

## MAXIMUM SAFETY

The EquiDrive® PLUS S coil-spring suspension provides **perfect driving comfort** and ensures **reliable road holding regardless of the surface.**

- Brilliantly comfortable suspension thanks to technology from the car industry
- Maximum safety for your horses during the journey



### EquiLock® partition

## LOCKABLE PARTITION

The standard partition locks mechanically and **can be assembled and disassembled without tools.**

The partition is **securely locked even when the tailgate is open.**



### EquiGuard® Panic release feature

## INTUITIVE OPERATION WITH NO NEED FOR TOOLS

When opening the trailer, **only the breast bar or breeching bar** is released from its fastening. All other parts remain fixed to the side wall. This significantly **reduces the risk of injury** to your horse. The **EquiGuard®** can be opened quickly and easily with a single hand movement, even from the inside — allowing you to react quickly in emergency situations. The breast bar and breeching bar can be easily clicked into place in seconds.



### AluBiComp floor



## ROT-PROOF ROBUST

Thanks to its sophisticated **composite panel construction** (two cover layers made of specially coated aluminium sheets with a polypropylene plastic core), the AluBiComp floor\* is rot-proof and robust.

It can therefore easily **withstand highly concentrated loads caused by heavy horses.**

## DESIGN AND COLOUR VARIETY

**FURTHER INFORMATION**  
[humbaur.com/en/design-configurator](https://humbaur.com/en/design-configurator)



Operating instructions  
**Download**



More information is  
 available online at  
[humbaur.com/en/downloads](https://humbaur.com/en/downloads)

Do you have any questions about this or any other trailer from our range or would you like a personal consultation? We look forward to hearing from you.

Phone: +49 821 24929 - 0  
 Monday to Thursday 8.00 am – 5.00 pm  
 Friday 8.00 am – 3.00 pm  
 Email: [info@humbaur.com](mailto:info@humbaur.com)

\* Illustrations are similar. Products and services and the availability of these products and services are subject to change at any time and are subject to our general terms and conditions of delivery and payment. Only valid for Germany. Subject to change without notice. Errors excepted. All information is provided without guarantee Images: Humbaur GmbH, fotolia.de, Adobe Stock / Article 009.00134 / As at 02/23